

Message

From: Sutton, Douglas [dsutton@hgl.com]
Sent: 12/16/2013 7:51:01 PM
To: Rossi, Debra [Rossi.Debra@epa.gov]
CC: Susanna Mays [susanna@TrustSC.com]
Subject: RE: DS&G technology screening, FS schedule, PFCs

Debbie,

We are available to have a call with you tomorrow (Tuesday, 12/17) at 1pm. Please confirm that this time still works for you.

Thanks,
Doug

From: Rossi, Debra [mailto:Rossi.Debra@epa.gov]
Sent: Monday, December 16, 2013 11:54 AM
To: Sutton, Douglas
Cc: Michael Sherrier (michael.p.sherrier@dupont.com); Susanna Mays
Subject: DS&G technology screening, FS schedule, PFCs

Doug,

Thank you for providing us with a copy of last Thursday's presentation materials. I spoke with Scott Huling of EPA's Ground Water and Ecosystems Restoration Branch this morning. He recommended that we not screen out in-situ bioremediation of BCEE at this time. There does not seem to be much published information online about BCEE treatment with ISCO. Are there some case studies that you can bring to our attention?

Also, I would like to discuss the FS schedule with you further, as well as PFC monitoring at the site. Could we schedule a call tomorrow? I'm available from 8 to 11 and 12:30 to 2:30 tomorrow.

Thanks.

Debbie

Debra Rossi

Remedial Project Manager

DE, VA, WV Remedial Branch (3HS23)

EPA Region 3

1650 Arch Street

Philadelphia, PA 19103

(215) 814-3228

rossi.debra@epa.gov

From: Sutton, Douglas [<mailto:dsutton@hgl.com>]

Sent: Thursday, December 12, 2013 5:16 PM

To: Rossi, Debra

Cc: Michael Sherrier (michael.p.sherrier@dupont.com); Susanna Mays; John Cargill; Snoparsky, Mindi; Aaron Frantz

Subject: RE: DS&G SSCR and FS

Debbi,

We also thank you and your team for a productive meeting. I am looking forward to working with you.

Thank you for the input in your email. I am in the process of preparing a summary of the meeting for the steering committee and will include your email comments below as part of that summary. For clarification, should we also expect to hear something from you next week regarding the pre-screening?

Thanks so much,

Doug

From: Rossi, Debra [<mailto:Rossi.Debra@epa.gov>]

Sent: Thursday, December 12, 2013 2:02 PM

To: Sutton, Douglas

Cc: Michael Sherrier (michael.p.sherrier@dupont.com); Susanna Mays; John Cargill; Snoparsky, Mindi; Aaron

Frantz

Subject: DS&G SSCR and FS

Doug,

Thank you all for a very productive meeting this morning. EPA is generally in agreement with the technology pre-screening information presented. However, please carry the following technologies for the DDA through to the Detailed Analysis of Alternatives: in-situ treatment of saturated soil at the DDA (ISCO or other suitable technology); removal/destruction of contaminant mass at the DDA (e.g., excavation, in-situ treatment).

Attached please find CDM's comments on the SSC Report. I expect to provide you with the balance of EPA's comments on the during the week of January 6.

Debbie

Debra Rossi

Remedial Project Manager

DE, VA, WV Remedial Branch (3HS23)

EPA Region 3

1650 Arch Street

Philadelphia, PA 19103

(215) 814-3228

rossi.debra@epa.gov

Consider the Environment before printing this email.

NOTICE OF CONFIDENTIALITY

This electronic communication, including any attached documents, may contain confidential or legally privileged information intended only for recipient(s) named above. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing or otherwise using this

transmission. If you received this communication by mistake, please notify the sender immediately and delete the communication and any attachments.

Consider the Environment before printing this email.

NOTICE OF CONFIDENTIALITY

This electronic communication, including any attached documents, may contain confidential or legally privileged information intended only for recipient(s) named above. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing or otherwise using this transmission. If you received this communication by mistake, please notify the sender immediately and delete the communication and any attachments.